


AFIT-LA-TR-97-1

AIR FORCE INSTITUTE OF TECHNOLOGY

THE EFFECTS OF LOWER ARMED SERVICES VOCATIONAL APTITUDE BATTERY (ASVAB) MECHANICAL SCORE REQUIREMENTS ON THE NUMBER OF APPLICANTS ELIGIBLE FOR TRAINING IN MAINTENANCE OCCUPATIONS AND THE PERCENTAGE OF TRAINING FAILURES

Lt Col James R. Van Scotter

January 1997



DEPARTMENT OF THE AIR FORCE
AIR UNIVERSITY

AIR FORCE INSTITUTE OF TECHNOLOGY

Wright-Patterson Air Force Base, Ohio

19970214 026

AFIT-LA-TR-97-1

AIR FORCE INSTITUTE OF TECHNOLOGY

THE EFFECTS OF LOWER ARMED SERVICES VOCATIONAL APTITUDE BATTERY (ASVAB) MECHANICAL SCORE REQUIREMENTS ON THE NUMBER OF APPLICANTS ELIGIBLE FOR TRAINING IN MAINTENANCE OCCUPATIONS AND THE PERCENTAGE OF TRAINING FAILURES

Lt Col James R. Van Scotter

January 1997

The Effects of Lower Armed Services Vocational Aptitude Battery (ASVAB) Mechanical Score Requirements on the Number of Applicants Eligible for Training in Maintenance Occupations and the Percentage of Training Failures

Lt Col James R. Van Scotter

Department of Logistics Management
Graduate School of Logistics and Acquisition Management
Air Force Institute of Technology
Wright-Patterson AFB, OH 45433-7765

ABSTRACT

This study investigated the impact of lowering the minimum Armed Services Vocational Aptitude Battery (ASVAB) Mechanical composite (MECH) scores required for recruits to enter maintenance career fields. The sample included (N=48,009) Air Force technical school trainees who attended school between 1990 and 1995. A contingency table showing the relationship between predictor scores and success/failure in technical school and logistic regression analyses suggested that required scores should be raised for five Air For ce Specialties (AFSs) and should remain at the present level for four others. No linear relationship was apparent between test scores and technical school grades or pass/fail criteria for two AFSs. Results provided little evidence that reducing minimum MECH score requirements slightly will increase the rate of technical school failures. The need to collect technical school grades for unsuccessful trainees was identified.

ACKNOWLEDGEMENTS

This research would not have been possible without many contributions from the scientists and staff of Armstrong Laboratory at Brooks AFB, Texas. Jim Brazel and Drs. Linda Sawin, Malcolm Ree, and Jim Earles went out of their way to lend a hand. I'm particularly indebted to Dr. Steven Truhon for the conceptual assistance and practical guidance he provided during the early part of this research. His sense of direction, good humor, and many talents made him a very valuable colleague.

Special thanks go to Dr. Jacobina Skinner. Without her leadership this project could not have been accomplished. She asked the hard questions, kept the project focused, and provided unflagging support for this study.

The Effects of Lowering Armed Services Vocational Aptitude Battery (ASVAB) Mechanical Score Requirements on the Number of Applicants Eligible for Training in Maintenance Occupations and the Percentage of Training Failures

Maintenance occupations play a critical role in sustaining the Air Force's mission capabilities in combat operations and strategic airlift. It has become increasingly difficult to sign up enough high quality recruits to fill Air Force entry-level jobs in aircraft, vehicle, and equipment maintenance (Chapman, 1996). If present trends continue, there may come a time when recruiters will be unable to fill manpower requirements for these Air Force Specialties (AFSs) and the service's ability to accomplish its mission will be constrained by the lack of qualified technicians. This report investigates one approach toward solving this problem.

Cut-off scores

One way to increase the number of applicants eligible for AFSs involving mechanical skills (referred to as maintenance occupations in the rest of the paper) is to lower the minimum Armed Services Vocational Aptitude Battery (ASVAB) mechanical aptitude (MECH) scores required for entry into these jobs. Cut-off scores have been established for each AFS to ensure recruits entering initial technical training have at least the minimum level of ability needed to complete the training successfully. If cut-off scores are set too low, technical training failure rates will increase, leading to higher recruiting and training costs. On the other hand, if cut-off scores are set too high, applicants who would be successful in technical school will be erroneously rejected. Score requirements that are higher than necessary reduce the size of the pool of applicants eligible for a job, make recruiting more difficult, and increase the likelihood that minority applicants will be excluded. MECH score requirements are a tradeoff between the competing needs to keep manning at acceptable levels and to obtain recruits capable of completing technical school training on very complex systems. Before making any changes, it is necessary to estimate the impact of changes on the number of applicants eligible for technical training and on academic failure rates expected for various levels of aptitude scores.

Changes in training criteria

The technical training criterion scores available for this study span a period marked by change. It includes Desert Storm/Desert Shield, implementation of a new wing structure, the relocation of several technical training schools from bases being closed to other sites, and a continuing effort to downsize the force. Utilization and Training Workshops in many AFSs also directed changes in course content and length that directly affect training criteria.

Another significant change is the growing use of work sample tests in technical schools. Instructors in courses that train recruits to the level necessary for Mission Ready Technician (MRT) certification must grade trainees' performance on a large number of critical tasks. If much weight is given to these work sample performance assessments in technical training, it is necessary to demonstrate the validity and reliability of these measures (American Psychological Association, 1985). They must also be incorporated in

the selection criteria used in validation research. Work sample criterion measures were not available for the present study.

Previous research

Previous studies have examined the validity of ASVAB composites for predicting technical school grades over a large range of jobs (e.g., Wilbourn, Valentine, & Ree, 1984) or in examining the potential to improve prediction by combining ASVAB sub-tests in different ways (e.g., Ree & Earles, 1992). There has been little research addressing the impact of different cut-off scores on the number of applicants eligible for specific occupational specialties, or on the effect of lower minimum qualifying scores on academic failure rates. An important goal of this study was to determine whether or not cut-off scores could be lowered to increase the number of applicants eligible for maintenance jobs without increasing technical school failure rates to unacceptable levels. For the purposes of this study failure rates up to and including five percent were deemed to be acceptable.

This study's contribution

Analyses for each AFS were expected to support one of the following conclusions:

- 1. There is <u>no evidence</u> of a linear relationship between MECH scores and criteria representing technical training success. Additional research is needed to develop and validate predictors for the AFS.
- 2. There is evidence that a linear relationship exists between MECH scores and criteria representing technical training success, and ...
 - a. The MECH cut-off score for an AFS <u>should be raised</u> because the failure rate associated with the current MECH cut-off score is unacceptably high.
 - b. The MECH cut-off score for an AFS <u>should not be lowered</u> because analyses predict an unacceptably high failure rate for applicants with MECH scores below the current cut-off score.
 - c. The MECH cut-off score for an AFS <u>can be lowered incrementally</u> because the rate of failures is very low and there is no evidence that failure rates would increase to unacceptable levels if the cut-off scores were lowered a few points.

This approach acknowledges that decisions based on predictor-criterion information depend in part on the type and quality of information available. It also recognizes that decisions about the allocation of scarce resources (in this case applicants with high MECH scores) must consider a variety of issues that go beyond the kind of data analysis reported here. This paper is intended to support the decision process.

OBJECTIVES

The objectives of this study were: (1) to investigate the quality of recruits entering maintenance technical training courses in recent years, (2) to examine the validity of the predictors of success in technical training presently in use, and (3) to estimate the effect of lowering ASVAB mechanical test scores on technical school failure rates and the number of applicants expected to qualify for entrance into maintenance AFSs.

METHOD

Subjects

Subjects were 48,009 first term recruits who entered the service between January, 1990 and September, 1995, and were assigned to a mechanical AFS. There were 42,980 graduates, 1,229 academic failures, and 1,050 subjects who were eliminated because of medical problems or other non-academic reasons. The remaining 2,750 subjects either did not complete Basic Military Training or were re-routed to a non-mechanical technical school. Demographics are shown in Table 1.

TABLE 1. CHARACTERISTICS OF SUBJECTS IN THE STUDY

PERCENTAGE OF ENLISTEES BY YEAR OF ENLISTMENT

YEAR	1990	1991	1992	1993	1994	1995	TOTAL
Number:	8651	8173	10503	7384	8640	4658	48009
AGE							
18 or Less	24.2	21.2	20.6	25.2	21.1	11.6	21.3
19 or 20	51.4	47.0	48.7	46.7	46.7	49.5	48.7
21 or More	24.4	31.8	30.7	28.1	28.1	38.9	30.0
SEX							
MALE	94.7	94.0	94.8	95.3	95.6	95.8	95.0
FEMALE	05.3	06.0	05.2	04.7	04.4	04.2	05.0
RACE							
WHITE	89.1	90.3	90.4	87.5	86.8	84.2	88.5
BLACK	08.1	06.4	06.7	08.7	08.0	08.6	07.6
OTHER	02.7	03.2	02.9	03.8	05.2	07.3	03.9
				4			

Note: Figures for 1995 are based on partial year data.

Predictors

Subjects' scores on the ASVAB Mechanical (MECH) composite were used as the main predictor. The MECH score is the sum of the Mechanical Comprehension (MC), General Science (GS), and Auto and Shop Information (AS) subtests of the ASVAB. Ree and Earles (1992) reported the internal consistency reliability for the MECH composite was .90 (N=88,724). Entrance requirements for some AFSs specified minimum MECH scores and one other ASVAB composite score (i.e., electrical, general, or administrative). In these cases, MECH was used as the predictor by itself, and in combination with the other score.

Criteria

There were two criterion measures. Final School Grades (FSGs) were used in correlational analyses. FSGs were computed as the average of the subjects' scores on written tests they completed during technical training. Pearlman, Schmidt, and Hunter (1980) reported the alpha reliability of FSGs as .80. A limitation of the current study is that FSG scores were available only for subjects who had successfully completed training. The lack of criterion measures covering the full range of subject's scores has been noted in other research for the Air Force (Ree & Earles, 1992) and Navy (Borack, 1996). FSG scores in the current study ranged from the minimum passing score of 70 to 99. This restriction in range directly impinges on the variability of the criterion exacerbating the range restriction that occurs as a consequence of explicit selection on the predictor (MECH scores). A pass/fail criterion measure was used in logistic regression analyses. It was available for students who were successful and who failed academically. Those who did not complete training for non-academic reasons were excluded.

Criterion groups

The use of cut-off scores is based on the assumption that the level of aptitude required for success in training varies among the technical training courses. Thus, different cut-off scores are set for different AFSs. Previous validation studies (e.g., Wilbourn, et al., 1984) have implicitly assumed that individual courses and associated criterion measures are fairly consistent over time. In view of all the changes in course content, length, location, and emphasis that had occurred over the five years of data available for the present study, it was clear that course criteria had changed for at least some AFSs. Thus it was necessary to avoid combining groups of recruits who were trained in the same AFS at different times and whose courses and course criterion measures had differed substantially. The method outlined below was used to decide which training groups for a single AFS were homogenous enough to be combined and which groups differed in some way.

- 1. Training course managers for each AFS provided information on changes in course content, emphasis, length, and location that might cause differences in the criteria. As a result 1-4 criterion sub-groups were established for each AFS included in the study.
- 2. Procedures described by Cohen (1988) were used to test the differences between correlations of MECH and FSG scores for each pair of training groups in the same AFS. Since MECH scores were stable between 1990 and 1995, finding a significant difference in two correlations seemed likely to reflect changes in FSG criteria.
 - a. If differences in the correlations were <u>not</u> large enough to be significant, the training groups were combined in subsequent analyses.
 - b. If the differences were large enough to be significant, the training groups were kept separate.

Additional information on the statistical test and the correlations between MECH and FSG scores for the initial groups can be found in Appendix A.

RESULTS

Quality of accessions

Table 2 shows that the quality of recruits entering maintenance occupations between January, 1990 and September, 1995 was high. Nearly all were high school graduates who had earned MECH scores that placed them in the top three enlistment categories.

TABLE 2. QUALITY OF ACCESSIONS BY YEAR OF ENLISTMENT

ASVAB MECHANICAL APTITUDE SCORES

	1990			1993	1994	1995	TOTAL
MEAN	72.5	72.7	72.6	71.3	72.3	71.6	72.3
ST DEV	14.2	14.4	14.3	14.8	13.8	14.2	14.3
N	8591	8112	10401	7137	8190	4363	46794

PERCENTAGE OF RECRUITS IN EACH ENLISTMENT CATEGORY

CATEGORY	1990	1991	1992	1993	1994	1995	TOTAL
I (Highest)	01.9	02.7	02.9	02.7	04.2	04.4	03.0
II	38.1	42.0	40.4	38.9	45.7	43.0	41.2
III	59.6	55.1	56.2	58.2	49.9	52.2	55.4
IV (Lowest)	<u>00.3</u>	<u>00.0</u>	<u>00.4</u>	<u>00.1</u>	<u>00.3</u>	<u>00.4</u>	<u>00.3</u>
TOTALS	8591	8112	10401	7137	8190	4363	46794

PERCENTAGE OF RECRUITS WITH HIGH SCHOOL DIPLOMAS

EDUCATION	1990	1991	1992	1993	1994	1995	TOTAL
HS DIPLOMA	98.8	99.1	98.6	98.8	98.5	98.1	98.7
GED	1.0	0.8	1.3	1.1	1.4	1.7	1.2
NO DEGREE	<u>0.2</u>	0.1	<u>0.1</u>	<u>0.1</u>	0.1	<u>0.3</u>	<u>0.1</u>
TOTALS	8651	8173	10503	7384	8640	4658	48009

PERCENTAGE OF RECRUITS SUCCESSFUL IN TECHNICAL TRAINING

OUTCOMES	1990	1991	1992	1993	1994	1995	TOTAL
SUCCESS	89.1	88.2	89.4	93.7	94.5	77.2	42980
FAILURE	3.2	2.8	3.4	2.0	1.7	1.5	1229
OTHER	<u>7.8</u>	<u>9.0</u>	<u>7.2</u>	<u>4.3</u>	<u>3.8</u>	<u>21.3</u>	<u>3800</u>
TOTALS	8651	8173	10503	7384	8640	4658	48009

NOTE: 1995 data is incomplete. Recruits who had entered training in 1995, but had not completed it at the time the data were collected are included in the "other" category.

Training completion data for 1990-1994 show that the proportion of trainees who successfully completed technical training increased slightly during this period.

Table 3 shows that the quality of the recruits entering each AFSs remained consistently high between 1990 and 1995. Two rows are shown for the same AFS in cases where two groups of students experienced different training conditions or grading standards because of changes in training content, methods, or objectives.

TABLE 3. MEAN ASVAB MECHANICAL APTITUDE (MECH) SCORES FOR RECRUITS ENTERING MAINTENANCE TECHNICAL TRAINING (1990-1995)

		MECH,								OVER-	
	TECH SCHOOL	FSG	ROD	1990	1991	1992	1993	1994	1995	ALL	
DESCRIPTION OF AFS	CLASS DATES	CORR	SCORE	MEAN	MEAN	MEAN	MEAN	MEAN	MEAN	MEAN	z
2A3X3A F-15 MAINTENANCE	9006-9409	.36	51	73.89	76.33	73.99	74.73	74.88		74.61	1572
2A3X3A F-15 MAINTENANCE	9412-9509	.53	51					69.04	76.73	71.24	417
2A3X3B F-16 MAINTENANCE	9003-9509	.36	51	73.39	74.11	73.62	73.33	72.82	73.20	73.46	2008
2A3X3C F-111 MAINTENANCE	9006-9209	.39	51	72.08	75.37	74.86	81.75	73.26	70.60	73.61	448
2A3X3E A-10 MAINTENANCE	9012-9509	.35	51	75.48	71.29	64.42	72.06	73.24	73.63	72.44	268
2A5X1A C-141 MAINTENANCE	9306-9509	.56	51				74.82	72.84	76.00	74.05	258
2A5X1B C-130 MAINTENANCE	9309-9509	.43	51				71.78	71.85	72.88	72.07	522
2A5X1C C-5 MAINTENANCE	9309-9509	.46	51				73.49	73.69	76.57	74.16	255
2A5X1D C-17 MAINTENANCE	9312-9509	.44	51				71.50	70.93	73.49	71.81	235
2A5X1F B-52 MAINTENANCE	9312-9409	.36	51				74.55	72.69		73.78	102
2A5X1F B-52 MAINTENANCE	9406-9509	. 59	51					73.46	77.26	73.89	166
2A5X1H KC-10 MAINTENANCE	9409-9509	.45	51					76.04	73.12	74.94	181
HELICOPTER MAINTENANCE	9309-9509	.29	51				83.85	79.61	79.09	80.77	142
2A6X1A PROPULSION-JET ENGINE	9006-9303	.21	44	71.21	70.45	72.01				71.29	1507
2A6X1A PROPULSION-JET ENGINE	9309-9509	.37	44				65.33	69.15	63.23	67.27	807
2A6X1B PROPULSION-TURBO	9003-9209	.41	57	79.39	81.33	78.59	71.12	79.48	74.85	78.68	672
AEROSPACE GRND EQPMT	9003-9509	.38	51	77.26	78.71	78.42	68.88	72.62	72.31	75.32	2945
EGRESS MAINTENANCE	9006-9209	.21	57	79.31	79.62	74.00	81.70	79.46	73.51	77.77	316
AIRCRAFT FUEL SYSTEMS	9006-9209	.38	51	74.96	72.80	77.54	77.48	72.91	69.88	74.43	1048
PNEUDRAULICS	9006-9209	.12	57	76.04	76.18	75.54	78.39			76.05	884
PNEUDRAULICS	9306-9509	.38	57				78.31	75.75	75.89	77.24	546
ELECTRICAL & ENVIR SYS	9403-9509	. 28	45				67.27	71.81	73.49	71.02	772
AIRCRAFT METALS	9006-9209	.42	51	76.59	72.90	77.00	67.76	72.58	72.55	73.68	320
AIRCRAFT STRUCTURAL	9003-9209	.26	51	72.30	74.11	72.87	70.47	72.23	73.87	72.62	1693
FABRICATION	9006-9209	.18	44	68.72	69.46	65.40	63.81	68.44	52.97	66.11	387
Training dates indicate	cla	s are	include	'n.	h crite			1	elations	s (CORR)	
	F-15 MAINTENANCE F-15 MAINTENANCE F-16 MAINTENANCE F-11 MAINTENANCE A-10 MAINTENANCE C-141 MAINTENANCE C-130 MAINTENANCE C-130 MAINTENANCE C-17 MAINTENANCE C-17 MAINTENANCE B-52 MAINTENANCE AC-10 MAINTENANCE B-52 MAINTENANCE AC-10 MAINTENANCE AC-10 MAINTENANCE AC-10 MAINTENANCE ACC-10 MAINTENANCE B-52 MAINTENANCE ARCOPULSION-JET ENGINE PROPULSION-JURS PREUDRAULICS PNEUDRAULICS PNEUDRAULICS AIRCRAFT FUEL SYSTEMS PNEUDRAULICS AIRCRAFT METALS AIRCRAFT STRUCTURAL FABRICATION Training dates indicate	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MECH, SCHOOL FSG DATES CORR 9409 .36 9509 .35 9509 .35 9509 .43 9509 .43 9509 .45 9509 .45 9509 .45 9509 .37 9509 .37 9509 .38 9509 .38 9509 .38 9509 .38 9509 .38 9509 .38 9509 .38	MECH, DATES CORR SCORE MEA 9409 .36 51 73. 9509 .36 51 72. 9509 .39 51 72. 9509 .44 51 72. 9509 .45 51 75. 9509 .45 51 75. 9509 .45 51 77. 9509 .36 51 77. 9509 .36 51 77. 9509 .37 44 51 77. 9509 .38 51 77. 9509 .38 51 77. 9509 .38 51 77. 9509 .38 51 77. 9509 .38 51 77. 9509 .38 51 76. 9509 .38 51 76. 9509 .38 51 76. 9509 .38 51 76. 9509 .38 51 76. 9509 .38 51 76.	MECH, DATES CORR SCORE MEA 9409 .36 51 73. 9509 .36 51 72. 9509 .39 51 72. 9509 .44 51 72. 9509 .45 51 75. 9509 .45 51 75. 9509 .45 51 77. 9509 .36 51 77. 9509 .36 51 77. 9509 .37 44 51 77. 9509 .38 51 77. 9509 .38 51 77. 9509 .38 51 77. 9509 .38 51 77. 9509 .38 51 77. 9509 .38 51 76. 9509 .38 51 76. 9509 .38 51 76. 9509 .38 51 76. 9509 .38 51 76. 9509 .38 51 76.	MECH, SCHOOL FSG RQD 1990 1991 1992 DATES CORR SCORB MEAN MEAN MEAN 9409 .36 51 73.89 76.33 73.99 9509 .39 51 72.08 75.37 74.89 9509 .35 51 75.48 71.29 64.49 9509 .44 51 9509 .46 51 9509 .46 51 9509 .36 51 9509 .37 44 71.21 70.45 72.0 9509 .38 51 9509 .39 51 9509 .39 51 9509 .39 51 9509 .39 51 9509 .39 51 9509 .39 51 9509 .39 51 9509 .39 51 9509 .39 51 9509 .39 51 9509 .31 79.62 74.0 9509 .38 51 77.26 78.71 78.4 9509 .38 51 77.26 78.71 78.4 9509 .38 51 77.26 78.71 78.4 9509 .38 51 77.26 78.71 78.4 9509 .38 51 77.26 78.71 78.4 9509 .38 51 77.26 78.71 78.4 9509 .38 51 77.26 78.71 78.4 9509 .38 57 76.04 76.18 75.5 9509 .38 45 77.09 9509 .38 45 77.09	MECH, ROD 1990 1991 1992 1993 DATES CORR SCORS MEAN MEAN MEAN MEAN MEAN 9409 .36 51 73.89 76.33 73.99 74.73 9509 .36 51 73.89 76.33 73.99 74.73 9509 .36 51 72.08 75.37 74.86 81.75 9509 .36 51 75.48 71.29 64.42 72.06 9509 .46 51 75.48 71.29 64.42 72.06 9509 .46 51 75.48 71.29 64.42 72.06 9509 .46 51 75.48 71.29 64.42 72.06 9509 .46 51 75.48 71.29 64.42 72.06 9509 .46 51 71.21 74.58 72.80 72.80 9509 .46 51 71.21 70.45	MECH, MECH, SCHOOL FSG RQD 1990 1991 1992 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 14 74 80 940 1990	MECH, MECH, SCHOOL FSG RQD 1990 1991 1992 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 14 74 80 940 1990	PRECRIPTION OF AFG Tach School Sc

are significant (p<.05) unless otherwise indicated (ns=non-significant, p>.05).

TABLE 3. MEAN ASVAB MECHANICAL APTITUDE (MECH) SCORES FOR RECRUITS ENTERING MAINTENANCE TECHNICAL TRAINING (1990-1995)

	-		MECH,								OVER-	
		TECH SCHOOL	FSG	ROD	1990	1991	1992	1993	1994	1995	ALL	
AFS	DESCRIPTION OF AFS	CLASS DATES	CORR SC	SCORE	MEAN	MEAN	MEAN	MEAN	MEAN	MEAN	MEAN	z
2E6X1	COMMUNICATIONS-ANTENNA	9012-9509	.11ns	51	72.33	74.43	71.33	71.10	72.13	71.09	72.10	218
2E6X2	COMMUNICATIONS-CABLE	9006-9209	.31	51	75.04	73.40	72.38	72.86	73.64	71.58	73.20	645
2F0X1	FUELS	9003-9409	80.	51	70.65	68.60	69.15	71.09	72.73		69.93	2185
2F0X1	FUELS	9409-9509	.29	51					71.36	68.14	70.08	472
2M0X1	MISSILE SYS MAINTENANCE	9006-9303	.18	51	73.00	71.97	72.94				72.63	479
2T2X1	AIR TRANSPORT EQPMT	9003-9209	.20	51	70.10	69.27	90.69	67.61	69.01	69.67	69.15	2987
2T3X1	SPECIAL PURP VEHICLE	9006-9209	.40	51	76.46	74.21	74.27	73.30	72.87	71.45	73.86	843
2T3X2A	FIRE TRUCK MAINTENANCE	9006-9006	60.	44	73.83	73.57	70.98				72.30	125
2T3X2B	REFUELER MAINTENANCE	9006-9006	.23	44	61.07	72.39	63.29				65.91	163
2T4X1	GENERAL PURP VEHICLE	9006-9209	.39	51	73.09	73.21	71.07	75.28	73.25	71.03	72.65	856
2W0X1A	MUNITIONS-CAS	9312-9509	.19	19				62.26	74.71	73.77	71.48	424
2W0X1B	MUNITIONS-PRODUCTION	9003-9209	.36	61	73.30	73.94	73.09	70.42	72.46	73.07	72.62	3166
2W1X1C	A-10 ARMAMENT	9006-9403	.35	19	77.13	79.00	72.83	63.86			73.30	175
2W1X1E	F-15 ARMAMENT	9009-9209	.32	61	75.00	77.56	79.16	70.94	74.19	75.95	76.01	987
2W1X1F	' F-16 ARMAMENT	9006-9209	.36	61	71.62	70.56	73.05	67.45	68.94	68.07	70.60	1240
2W1X1H	F-111 ARMAMENT	9006-9312	.25	61	85.67	86.91	88.02	88.75			87.22	190
2W1X1K	B-52 ARMAMENT	9103-9403	.27	61	88.39	85.14	88.11	88.07			87.60	206
2W1X1L	B-1 ARMAMENT	9009-9312	.49	61	68.24	75.13	73.67	66.57			71.19	114
2W1X1Z	HC-130 ARMAMENT	9006-9403	.27	61	74.13	76.68	80.48	71.63			76.82	111
2W2X1	NUCLEAR WEAPONS	9006-9403	.19	61	78.36	79.02	77.99	78.99			78.58	485
3E0X2	ELECT POWER PRODUCTION	9009-9209	.34	57	76.95	76.37	76.64	77.97	74.92	72.42	76.28	814
3E1X1	HTG, VENT & AIR COND	9006-9209	.39	51	68.39	70.39	71.88	65.86	64.91	65.18	67.26	296
3E2X1	PAVEMENTS	9003-9206	.45	44	72.61	74.49	69.50	67.95	65.29	68.93	70.26	1346
3E3X1	STRUCTURES	9006-9206	.28	51	72.28	71.78	70.42	72.16	72.34		71.78	811
3E4X1	UTILITIES	9312-9509	.33	51			71.70	67.11	72.67		69.23	267
3E8X1	EXPLOSIVE ORD DISPOSAL	9003-9209	.20	61	79.54	79.00	80.75	80.26	78.82	79.27	79.58	532
3F4X2	LIQUID FUEL SYSTEMS	9006-9406	.30	51	74.02	77.93	71.22				72.67	162
3P1X1	COMBAT ARMS MAINTENANCE	9312-9509	su60.	51				57.45	76.40	78.78	74.09	138
Note:	Training dates indicate which	which classes	are	included	in each		criterion an	group. A	All corr	correlations	(CORR)	

All correlations (CURK) **Note:** Training dates indicate which classes are included in each criterion group. are significant (p<.05) unless otherwise indicated (ns=non-significant, p>.05).

TABLE 3. MEAN ASVAB MECHANICAL APTITUDE (MECH) SCORES FOR RECRUITS ENTERING MAINTENANCE TECHNICAL TRAINING (1990-1995)

			MECH,								OVER-	1
		TECH SCHOOL	FSG	RQD	1990	1991	1992	1993	1994	1995	ALL	
AFS	AFS DESCRIPTION OF AFS	CLASS DATES CORR SCORE	CORR	SCORE	MEAN	MEAN	MEAN	MEAN	MEAN	MEAN	MEAN	z
452X5	TAC ELECT & ENVIR SYS	9009-9406	.15	45	73.46	70.90	69.33	71.03			71.26	415
454X5	STRAT ELECT & ENVIR SYS 9006-9306	9006-9306	.27	45	76.51	75.47	70.78				74.39	425
454X6	ALFT ELECT & ENVIR SYS	9006-6006	.12	45	74.16	74.20	73.24				73.85	584
552X0	MASONRY	9003-9212	.34	51	68.58	64.50	71.05				68.56	236
552X5	PLUMBING	9006-9303	.34	51	68.87	69.20	72.88				70.56	302
566X1	ENVIRONMENTAL WATER	9003-9403	.28	51	63.88	64.92	66.12	67.73			65.83	439
Note: are si	Note: Training dates indicate which classes are included in each criterion group. are significant $(p<.05)$ unless otherwise indicated $(ns=non-significant,\ p>.05)$.	which classe otherwise in	s are dicate	include d (ns=n	d in eac on-sign:	ch crite ficant,	rion gr p>.05)		ll corr	elation	All correlations (CORR)	

The usefulness of MECH scores for predicting training outcomes

Correlations between MECH scores and FSG are shown in the third column of Table 3. The average correlation across all AFS groups was r=.28 (N=39246). The pattern of correlations suggests that trainees with low MECH scores would fail more often than those with medium or high scores.

MECH scores and the number of qualified applicants

Figure 1 compares the distribution of scores for high school students who expressed interest in the Air Force with the distribution of scores for those who actually joined the Air Force. It shows the percentage of individuals scoring at each level in the applicant and recruit samples multiplied by the number of persons in those groups in an average year.




Figure 1.

It is clear that recruits entering maintenance training had average to high MECH scores, and that the availability of potential trainees varies across MECH score ranges.

MECH scores and success/failure in training

Finding that the number of failures increases as MECH scores decrease would be consistent with the hypothesis that the MECH score is an important predictor of success in technical school. A contingency table was developed to examine the relationship between the level of MECH scores and the number of failures. Table 4 provides little support for this point of view. Failures occurred at nearly all levels of MECH scores. On the other hand, MECH scores do predict FSG scores for trainees who are successful in training in most AFSs. This suggests that, given an adequate level of ability, slight differences in ability among trainees' do not predict success or failure.

Table 4 also shows that only a few current training courses have failure rates greater than or equal to 5 percent for any range of MECH scores. The applicant sample was used to estimate the percentage of the applicant population with scores less than or equal to the lowest score in each range of scores. These estimates are shown at the bottom of Table 4.

TABLE 4. CONTINGENCY TABLE: CUMULATIVE PERCENTAGE FAILING FOR VARIOUS MECH SCORES

ASVAB MECH SCORE	N 95 90 85 80	402 0.7 1.7	0.8 1.1 1.7 2.0 2.5 3.2	439 0.7	256 0.8 1.2 1.2	272 1.5 2.2 2.9 3.3	508 0.8 1.2 1.4	252					GINE 774 0.5	662 0.9 2.1 2.6	2893 0.7 1.2 1.5 2.6 3.1 4.3 5.2	315	1033	537	745 0.5 0.7 0.7 0.8 0.8 1.3 1.6	314 0.6 1.3 1.3 1.3	1682 0.5 0.9	383 0.8		631 1.1 1.7 1.9 2.9 3.6	468 0.6		
	DESCRIPTION	F-15 MAINTENANCE	F-16 MAINTENANCE	F-111 MAINTENANCE	A-10 MAINTENANCE		闰	C-5 MAINTENANCE		B-52 MAINTENANCE	KC-10 MAINTENANCE	HELICOPTER MAINTENANCE	PROPULSION -JET ENGINE	PROPULSION-TURBO	AGE MAINTENANCE	EGRESS	FUEL SYSTEMS	HYDRAULIC	ACFT ELEC & ENVIRO SYS	AIRCRAFT METALS	AIRCRAFT STRUCTURAL	AIRCREW SURVIVAL	NA)	(CABLE)	FUELS	MISSILE MAINTENANCE	TOTAL MAINTENANCE
	AFSC	2A3X3A	2A3X3B	2A3X3C	2A3X3E	2A5X1A	2A5XIB	2A5X1C	2A5X1D	2A5X1F	2A5X1H	2 A 5X2	2A6X1A	2A6X1B	2A6X2	2A6X3	2A6X4	2A6X5	2A6X6	2A7X1	2A7X3	2A7X4	2E6X1	2E6X2	2F0X1	2M0X1	

Note: Table entries show the cumulative percentage of academic failures for (1990-1995) trainees as MECH scores decrease. Scores in the shaded area do not meet current standards for entry into the AFS. Failure rates of 5% or higher are shown in bold print.

TABLE 4. CONTINGENCY TABLE: CUMULATIVE PERCENTAGE FAILING FOR VARIOUS MECH SCORES

ASVAB MECH SCORE

							ASV	AB M	ECH	SCORE	Œ				
AFSC	DESCRIPTION	N	56	06	85	08	22	75 70 65	59		\$ \$	98	45	0	38
2T2X1	AIR TRANS EQPMT MAINT	2955					0.5	0.7	6.0	1.3	1.4	1.6			
2T3X1	SPECIAL PURP VEHICLES	805				0.7	1.4	2.0	2.2	3.1	5.6	6.1			
2T3X2A	FIRETRUCK MAINTENANCE	121					1.7	2.5	4.1	4.1	5.0	5.0	2.0	5.8	
2T3X2B	REFUELER MAINTENANCE	157						1.3	1.9	1.9	2.5	3.8	4.5		
2T4X1	GENERAL PURP VEHICLES	841					0.7	8.0	1.2	1.4	1.7	61			
2W0X1A	MUNITIONS CAS	415						0.7	1.0						
2W0X1B	MUNITIONS PRODUCTION	3149							9.0	0.7					
2W1X1C	A-10 ARMAMENTS	171						9.0	9.0	9.0	9.0	∞ .	2,9		
2WIXIE	F-15 ARMAMENTS	974				0.7	0.9	1.5	1.6	1.9	6"1	6.1	6.1	1.9	22
2W1X1F	F-16 ARMAMENTS	1217							1.0	Ξ	1.3	1.4	1.5	1.6	1.9
2W1X1H	F-111 ARMAMENTS	198			0.5	0.5	0.5	2.0	2.5	2.5	3.0	3.5	4.0	4.0	4.5
2W1X1K	B-52 ARMAMENTS	211				6.0	1.4	1.9	1.9	67	2.4	3.3			
2W1X1L	B-1 ARMAMENTS	109										6.0	8.		
2W1X1Z	HC-130 ARMAMENTS	110						1.8 8.	23220						
2W2X1	NUCLEAR ARMAMENTS	475							20000						
3E0X2	ELEC POWER PRODUCTION	802						1.0	1.4	2.1	2.4				
3E1X1	HEAT, VENT, & AIR COND	591					0.5	8.0	1.4	1.9	2.5	2.9	3.2	3.6	4.7
3E2X1	PAVEMENT MAINTENANCE	1338								0.5	9.0	9.0	1.0		
3E3X1	STRUCTURES	805						9.0	1.0	1.2	1.6	1.9			
3E4X1	UTILITIES	265						1:1	1:1	1.5					
3E8X1	EXPL ORDINANCE DISP	492	1.8	4.9	8.7	14.8	19.7	24.4	29.1	31.7	31.7				
3F4X2	LIQUID FUEL SYS	161			9.0	9.0	1.2	1.9	2.5	2.5	2.5	3.1			
3P1X1	COMBAT ARMS MAINTENANCE	136				0.7	0.7	1.5							
Percentage	of Applicants with Lower Scores		0.76	97.6	87.3	81.6	75.9	68.2	61.5	54.5	48.5	42.2	36.3	29.3	23.7
Mate. Tobl	Vates Table antwice about the cumulative management of	mic failu	, Lot for	(1000 1005)	** (500	oppain	or ME	Ti-	and day	00000	Corner	in the	hodod	oron de	

Note: Table entries show the cumulative percentage of academic failures for (1990-1995) trainees as MECH scores decrease. Scores in the shaded area do not meet current standards for entry into the AFS. Failure rates of 5% or higher are shown in bold print.

For the three years of data included in that sample, there were about 40,000 applicants each year, so a one percent change would represent about 400 applicants per year. The bottom row of Table 4 shows the percentage of applicants with lower scores. The impact of lowering cut-off scores from 55 to 45 can be estimated by using the percentages on the bottom row of the appropriate columns to calculate the number of additional applicants that would be eligible at the lower cut-off score. In this case (48.5-42.2)=6.3 and $6.3 \times 400 = 2520$, so about 2520 more applicants would qualify. Note that the number of applicants differs across the range of MECH scores. Appendix B contains more accurate information.

Linear regression

The empirical information provided in Table 4 can be supplemented with other validity information. Procedures typically involve developing a linear regression model in the form of: $FSG = B_0 + B_1(MECH_1)$ and substituting values of the independent variable MECH into the equation to compute a predicted value for the dependent variable, FSG (Cascio, 1987). In the equation, B_0 represents the Y-intercept and B_1 represents the increase in FSG for a one unit increase in the MECH score. Unfortunately, 41 of the 47 Y-intercept (B_0) values computed for the current data exceeded the passing FSG score level of 70.0. Since there are no MECH scores below 1, adding $B_1(MECH)$ to B_0 will increase the predicted score farther above the failing score for these cases. Thus, the lack of data for the full range of criterion scores (i.e., FSG scores for unsuccessful as well as the successful students) was a serious impediment to this analysis.

Logistic regression

Logistic Regression analyses using the pass/fail criterion were completed to supplement the contingency table information in Table 4. The usefulness of MECH scores in predicting success or failure was evaluated by examining the significance of path coefficients, determining whether or not the model predicted the pass/fail outcomes, and by testing the model's ability to explain the variance in the data (Hosmer & Lemeshow, 1989). The odds of failing to were calculated for each set of five MECH scores ranging from 30 to 99 for each current AFS using equations (1 and 2) from by Fox (1984).

$$\Lambda(z) = \frac{1}{1 + e^{-z}}$$
where: $z = -(\alpha + Bxi)$
and: $e \approx 2.718$

$$odds = \frac{\Lambda(z)}{1 - \Lambda(z)}$$
(2)

Results (Table 5) show that the odds of failing at different MECH score levels differ among criterion groups. Given the goal of maintaining a failure rate under 5%, Table 5 suggests cut-off scores should be raised for five AFSs and lowered for four others. Although the logistic regression models for these AFSs fit acceptably well, none of them predicted any failures. The logistic regression models obtained for the other criterion groups did not fit the data well. Detailed results can be found in Appendix C.

TABLE 5. CUMULATIVE PERCENTAGE OF TRAINEES EXPECTED TO FAIL FOR VARIOUS MECH SCORES

ASVAB MECH SCORE

							ADV	/AB M		ところ	ij				
AFSC	DESCRIPTION	z	\$6	06	88	08	75	20	99	09	55	95	45	40	38
2A3X3B	F-16 MAINTENANCE	1965	1.4	1.8	2.1	2.6	3.2	3.9	4.7	5.7	6.9	8.4	10.1	12.1	14.5
2A6X1B	PROPULSION-TURBO	999	9.0	6.0	1.2	1.8	2.5	3.6	5.1	7.1	6.6	13.7	18.5	24.6	31.9
2A6X2	AGE MAINTENANCE	2893	2.3	2.8	3.5	4.3	5.2	6.4	7.8	9.5	11.5	13.9	16.7	19.9	23.6
2A6X6	ELECT & ENVIR SYSTEMS	745	0.7	6.0	1.2	1.5	1.9	2.4	3.0	3.8	4.8	6.0	7.5	9.4	11.7
2E6X2	COMM (CABLE)	631	1.5	1.9	2.3	2.8	3.3	4.0	4.8	5.8	7.0	8.4	10.0	11.9	14.1
2T3X1	SPECIAL PURP VEHICLES	805	1.3	1.7	2.4	3.2	4.4	0.9	8.1	10.9	14.4	18.9	24.3	30.7	38.0
2WIXIC	A-10 ARMAMENTS	171	0.4	0.5	0.8	1.1	1.5	2.0	2.8	3.9	5.3	7.3	6.6	13.3	17.6
2WIXIF	F-16 ARMAMENTS	1217	0.8	1.0	1.1	1.3	1.5	1.7	2.0	2.3	2.6	3.0	3.4	3.9	4.5
3E0X2	ELEC POWER PRODUCTION	802	0.3	0.5	0.7	1.1	1.7	2.6	4.0	0.9	8.9	13.1	18.8	26.2	35.0
3E1X1	HEAT, VENT, & AIR COND	591	1.2	1.4	1.8	2.2	2.6	3.3	4.0	4.9	0.9	7.3	8.8	10,7	12.9
3E2X1	PAVEMENTS	1338	0.3	0.4	0.5	9.0	0.7	9.0	1.0	1.2	1.5	1.8	2.1	2.6	3.1
3E3X1	STRUCTURES	805	9.0	0.7	6.0	1.1	1.4	1.8	2.2	2.8	3.5	4.3	5.4	6.7	8.4 4.
Percentage	Percentage of Applicants with Lower Scores		97.0	97.6	87.3	81.6	75.9	68.2	61.5	54.5	48.5	42.2	36.3	29.3	23.7

Note: Results are reported only for current technical training schools with statistically significant logistic regression models (p<.05). Table entries indicate the proportion of trainees with the MECH score at the head of the column that are expected to fail. Scores in the shaded area do not meet current standards for entry into the AFS. Projected failure rates of 5% or higher are shown in bold print.

Analyses for AFSs requiring minimum scores on the MECH and one other ASVAB aptitude test, or AFSs in which qualification required a minimum score on either the MECH or another ASVAB composite are shown in Table 5. Acceptable fit statistics and significant beta weights for MECH and ASVAB electrical aptitude test (ELEC) scores were obtained for two AFSs: 2A6X2 (Aerospace Ground Equipment Maintenance) and 3E1X1 (Heating, Ventilation and Air Conditioning). In both cases adding ASVAB ELEC to the model improved prediction significantly (p<.05). Other logistic regression analyses provide evidence that ELEC may be useful in selecting recruits for training in AFS 3E0X2 (Electrical Power Production), and 2W1X1F (F-16 Armament Systems). The ASVAB general aptitude test (GEN) was a statistically significant predictor of success in 2W0X1A (Munitions Combat Ammunition Systems) and 3E8X1 (Explosive Ordinance Disposal). In addition the ASVAB administrative aptitude test (ADMIN) was a significant predictor of success in AFS 2T2X1 (Air Transportation Equipment Maintenance). Details of these and the other logistic regression analyses can be found in Appendix C.

DISCUSSION

Results provide evidence that the recruits entering maintenance technical training courses between January, 1990 and September, 1995 were high quality accessions. Despite concerns about declining MECH scores in the pool of military service-eligible young people (Chapman, 1996), these recruits appear to have had the requisite levels of mechanical aptitude. The low failure rates that occurred during this period make it hard to conclude otherwise. Tables 2 and 3 show that their average MECH score was 72.3; nearly all (99.7 percent) were in the top 3 enlistment categories, and 99.9 percent had earned a High School Diploma or GED.

The correlations in Table 3 indicate that a linear relationship exists between MECH scores and FSGs for all but two of the AFSs. However, finding significant correlations between MECH and FSG addresses only part of the issue. The combination of a low failure rate and the lack of FSG criterion data for students who failed their technical training courses limited the usefulness of linear regression and correlational techniques for differentiating between students likely to complete training successfully and those likely to fail.

Because of these problems, the impact of lowering MECH cut-off scores on training course attrition could not be estimated for all the maintenance occupations included in this study. Furthermore, the strength of the evidence supporting changes in MECH cut-off scores varied among the maintenance schools.

The contingency table (Table 4) and logistic regression results (Table 5) show that MECH scores are only weakly related to technical training failure for recruits selected for maintenance technical schools with the present criteria. This does not imply that MECH scores are not important criteria for entry into these occupations. The correlations in Table 3 make it clear that in all but two cases, failure rates would be higher without the use of this predictor (Brogden, 1946). Instead, it suggests that given that a recruit's MECH score

is high enough to qualify for a maintenance AFS, his or her success in technical school depends more on other factors such as motivation, self-discipline, interest, or disposition than on the exact level of his or her MECH score.

Recent studies (Motowidlo & Van Scotter, 1994; Van Scotter & Motowidlo, 1996) have shown that interpersonal and motivational factors account for a sizable proportion of variance in the work performance ratings of Air Force mechanics. The same relationships may hold true for performance in training. These studies along with other research (e.g., Barrick & Mount, 1991; Tett, Jackson & Rothstein, 1991) have shown that personality traits such as conscientiousness and agreeableness are important in job performance in a variety of civilian and military occupations.

RECOMMENDATIONS

General

A selection or classification system is only as good as its performance criteria. Without data on the performance of both successful and unsuccessful candidates, the selection and classification system cannot support the Air Force's war fighting mission effectively. Technical training written test scores and trainees' ratings on the performance items used in MRT hands-on training are essential. In the absence of this data it is impossible to ensure the accuracy, efficiency, equal opportunity, and fairness of personnel decisions. Organizations using tests in hiring or classification decisions also are ethically (and legally) responsible for ensuring that criterion measures used to validate those tests are relevant and appropriate (American Psychological Association, 1985).

Recommendations for ensuring selection criteria are effective.

- 1. Require schools to collect criterion data on successful and unsuccessful students. This data should be maintained with other personnel data files.
- 2. Conduct research to determine the reliability and validity of hands-on performance evaluations.
- 3. Investigate the use of alternate (i.e., motivational and dispositional predictors of performance).

Recommendations on cut-off scores.

- 4. For the two courses listed below there was <u>no evidence</u> of a linear relationship between MECH scores and technical training success (Table 3). Research is needed to develop and validate predictors for these specialties immediately.
 - a. 2E6X1, Communications (Antenna)
 - b. 3P1X1, Security Police Combat Arms

- 5. The MECH cut-off scores for the courses listed below <u>should be raised</u> because the failure rate (Table 4) associated with the current MECH cut-off score is unacceptably high.
 - a. 2A6X2, Aerospace Ground Equipment (AGE) Maintenance
 - b. 2T3X1, Special Purpose (SP)Vehicle Maintenance
 - c. 2T3X2A, Fire Truck Maintenance
 - d. 3E8X1, Explosive Ordinance Disposal
- 6. The MECH cut-off score for the courses listed below should not be lowered because the failure rates for applicants with MECH scores below the current cut-off score is within one percent of the five percent maximum (Table 5).
 - a. 2A5X1, C-141 Maintenance
 - b. 2T3X2B, Refueling Vehicle Maintenance
- 7. For all remaining courses examined in this study there is no evidence that failure rates would increase to unacceptable levels if the cut-off scores were gradually lowered.

It is important to remember that the results reported here are based on 1990-1995 data. Changes may have occurred in some technical training courses after mid-1995 that would impact these results and recommendations.

Appendix A

Procedures Used to Identify Criterion Groups

The procedures used to identify groups of trainees in an AFS who received similar technical training, and for whom similar criterion measures were available are described here. The goal was to avoid distorting the relationship between trainees' MECH scores and final technical school grades (FSG) by combining dissimilar trainee groups.

- 1. Training course managers helped us determine when significant changes had occurred in any of the AFSs examined in this study. Typical include changes include implementation of Utilization and Training Workshop recommendations affecting course content, sequencing of materials, or the length of a course. During the time period encompassed by this study there were also a number of changes that were out of the ordinary. They were the result of the restructuring of many maintenance career fields, the closure of training bases such as Chanute AFB, as well as changes that resulted from "Air Force Year of Training" initiatives. With the help of the training course managers 1-4 subgroups were identified for EACH AFS. The initial groups are listed in the next few pages.
- 2. Mech scores and FSGs were computed for each subgroup. Differences between the correlations for groups of trainees in the same AFS were tested using using a method described by Cohen (1988). Since the MECH test had not been changed during the period covered by the data used in this study the correlations were not expected to differ significantly between groups of trainees in the same AFS unless the course had changed in some important way. If the correlations did differ, it seemed likely that it was because of changes in the FSG criterion. The test procedure was as follows:
 - a. Because the sample sizes (n) differed among the groups it was necessary to compute the harmonic mean of the two sample sizes as shown here.

$$n' = \frac{2(n_1 - 3)(n_2 - 3)}{n_1 + n_2 - 6}$$

- b. Correlations were transformed into Fisher zs using tables provided by Cohen (1988).
- c. A test statistic was computed as $q_s = |\mathbf{z}_1 \mathbf{z}_2|$.
- d. The test statistic was compared the tabled criterion value, q_c , for n' to determine if the difference in the rs was significant at the p <.05 level (Cohen, 1988; p.139).
- e. If the correlations differed significantly the samples were analyzed separately. If the test did not provide evidence of a difference the samples were combined for the remainder of the analyses. Table 3 shows the results of this process.

Appendix A Initial Criterion Groups and Test Results

GROUP II FOR F ANALYBIS	1	7	ю	ю	ю	ហ	ហ	9	9	Dropped*	7	7	ω	æ	თ	Ø	10	11	12	13
SIGNIFICANT	YES		NO			ON		ON		N/A	ON		NO		NO		N/A	NO		N/A
MECH, FSG CORR	0.36	0.53	0.37	0.39	0.38	0.39	0.28	0.39	0.28	0.43	0.59	0.48	0.48	0.36	0.47	0.45	0.44	0.36	0.59	0.45
z	1487	379	1491	90	292	276	139	122	129	77	149	96	252	239	85	155	232	66	147	175
TECH SCHOOL CLASS DATES	9006-9409	9412-9509	9003-9304	9305-9504	9505-9509	9006-9401	9402-9509	9012-9406	9407-9509	9003-9206	9304-9412	9412-9509	9309-9411	9412-9509	9309-9405	9406-9509	9312-9509	9312-9409	9406-9509	9409-9509
DESCRIPTION	452X4A F-15 MAINTENANCE	452X4A F-15 MAINTENANCE	452X4B F-16 MAINTENANCE	452X4B F-16 MAINTENANCE	452X4B F-16 MAINTENANCE	452X4C F-111 MAINTENANCE	452X4C F-111 MAINTENANCE	452X4E A-10 MAINTENANCE	452X4E A-10 MAINTENANCE	U-2 MAINTENANCE	457X2C C-141 MAINTENANCE	457X2C C-141 MAINTENANCE	457X2A C-130 MAINTENANCE	457X2A C-130 MAINTENANCE	457X2B C-5 MAINTENANCE	457X2B C-5 MAINTENANCE	457X2E C-17 MAINTENANCE	457X0C B-52 MAINTENANCE	457X0C B-52 MAINTENANCE	2A5X1H OR 457X0D KC-10 MAINTENANCE
AFECS	2A3X3A OR 4	2A3X3A OR 4	2A3X3B OR 4	2A3X3B OR 4	2A3X3B OR 4	2A3X3C OR 4	2A3X3C OR 4	2A3X3E OR 4	2A3X3E OR 4	2А3ХЗН	2A5X1A OR 4	2A5X1A OR 4	2A5X1B OR 4	2A5X1B OR 4	2A5X1C OR 4	2A5X1C OR 4	2A5X1D OR 4	2A5X1G OR 4	2A5X1G OR 4	2A5X1H OR 4
SAMPLE	Н	7	4	Z.	9	7	∞	Ø	10	13	15	16	17	18	20	21	23	28	29	32

Note: "YES" in the last column indicates the correlations differed at the p<.05 (two-tailed) significance level. FSG = Final School Grade. *Groups with less than 100 cases were dropped from subsequent analyses.

Appendix A Initial Criterion Groups and Test Results

			TECH SCHOOL		FSG	SIGNIFICANT	FOR
SAMPLE	AFSCS	DESCRIPTION	CLASS DATES	N	CORR	DIFFERENCE	ANALYSIS
33	2A5X2 OR 457X1	HELICOPTER MAINTENANCE	9003-9405	49	0.56	ON	14
34	2A5X2 OR 457X1	HELICOPTER MAINTENANCE	9406-9509	79	0.38		14
35	2A6X1B OR 454X0B	PROPULSION TURBO	9003-9305	357	0.44	NO	15
36	2A6X1B OR 454X0B	PROPULSION TURBO	9306-9509	287	0.34		15
37	2A6X1A OR 454X0A	PROPULSION JET ENGINE	9006-9303	1207	0.21	YES	17
38	2A6X1A OR 454X0A	PROPULSION JET ENGINE	9309-9509	755	0.37		18
41	2A6X2 OR 454X1	AEROSPACE GRND EQPMT MAINT	9003-9303	1425	0.34	NO	19
42	2A6X2 OR 454X1	AEROSPACE GRND EQPMT MAINT	9304-9509	1296	0.35		19
44	2A6X3 OR 454X2	EGRESS MAINTENANCE	9006-9306	102	0.36	NO	20
45	2A6X3 OR 454X2	EGRESS MAINTENANCE	9307-9509	209	0.15		20
46	2A6X4 OR 454X3	FUEL SYSTEMS MAINTENANCE	9006-9206	306	0.34	NO	21
47	2A6X4 OR 454X3	FUEL SYSTEMS MAINTENANCE	9206-9503	260	0.40		21
48	2A6X4 OR 454X3	FUEL SYSTEMS MAINTENANCE	9504-9509	159	0.36		21
49	2A6X5 OR 454X4	PNEUDRAULIC SYSTEMS	9006-9209	857	0.12	YES	22
20	2A6X5 OR 454X4	PNEUDRAULIC SYSTEMS	9306-9509	534	0.38		23
52	2A6X6	AIRCRAFT ELECT & ENVIRON SYS	9403-9509	724	0.28	N/A	24
53	454X5	STRATEGIC ELECT& ENVIRON SYS	9006-9306	391	0.26	N O	25
55	452X5	TACTICAL ELECT & ENVIRON SYS	9006-9304	317	0.19	NO	26
26	452X5	TACTICAL ELECT & ENVIRON SYS	9304-9406	54	90.0		26
57	454X6	AIRLIFT ELECT & ENVIRON SYS	9008-8306	536	0.12	YES	27
58	454X6	AIRLIFT ELECT & ENVIRON SYS	9304 AND LATER	35	0.48		DROPPED*

Note: "YES" in the last column indicates the correlations differed at the p<.05 (two-talled) signing FSG = Final School Grade. *Groups with less than 100 cases were dropped from subsequent analyses.

Appendix A Initial Criterion Groups and Test Results

GROUP FOR ANALYSIS	28	28	29	29	29	30	30	31	32	33	33	34	35	36	36	37	38	39	39
SIGNIFICANT DIFFERENCE AN			NO			ON		N/A	N/A	YES (73)	YES (73)	YES (71,72)	N/A	NO		N/A	N/A	NO	39
MECH, FBG CORR	0.36	0.51	0.25	0.26	0.33	0.14	0.20	0.11	0.31	0.07	0.15	0.29	0.18	0.37	0.41	60.0	0.23	0.36	0.48
×	165	86	1217	266	182	307	73	201	909	1749	384	464	457	294	433	114	149	634	178 the n/ 05 (
TECH SCHOOL	9006-9304	9304-9509	9003-9301	9302-9501	9502-9509	9006-9308	9309-9509	9012-9509	9006-9209	9003-9204	9205-9409	9409-9509	9006-9303	9006-9304	9306-9509	9086-9006	9006-9306	9006-9305	9306-9509 differed at
DESCRIPTION	AIRCRAFT METALS	AIRCRAFT METALS	AIRCRAFT STRUCTURAL MAINT	AIRCRAFT STRUCTURAL MAINT	AIRCRAFT STRUCTURAL MAINT	FABRICATION & PARACHUTE	FABRICATION & PARACHUTE	COMMUNICATIONS-ANTENNA	COMMUNICATIONS-CABLE	FUELS	FUELS	FUELS	MISSILE MAINTENANCE	SPECIAL PURP VEHICLE	SPECIAL PURP VEHICLE	FIRE TRUCK MAINTENANCE	REFUELER MAINTENANCE	GENERAL PURP VEHICLE	GENERAL PURP VEHICLE COlumn indicates the correlations
: AFSCS	2A7X1 OR 458X0	2A7X1 OR 458X0	2A7X3 OR 458X2	2A7X3 OR 458X2	2A7X3 OR 458X2	2A7X4 OR 458X3	2A7X4 OR 458X3	2E6X1 OR 361X0	2E6X2 OR 361X1	OR	Q R	2F0X1 OR 631X0	2M0X2A OF 411X1A		2T3X1 OR 472X0	2T3X2A OR 472X1A	2T3X2B OR 472X1B	2T4X1 OR 472X2	2T4X1 OR 472X2 "YES" in the last co
SAMPLE	59	09	61	62	63	64	65	67	69	71	72	73	74	77	78	80	82	84	85 Note:

lered at the p<.05 (two-talled) significance level.</pre> FSG = Final School Grade.

Initial Criterion Groups and Test Results Appendix A

TICANT FOR TENCE ANALYSIS		40	/A 42	0 43	43	N/A 44	NO 45	45	. ON	47	N/A 48	N/A 49	N/A 50	N/A 51	N/A 52	NO 53	53
PSG SIGNIFICANT CORR DIFFERENCE	0.18 NO	0.24	0.19 N/A	0.35 NO	0.38	0.35 N/	0.34 N	0.29	N 0.38 N	0.35	0.25 N	0.27 N,	0.49 N,	0.28 N,	N 61.0	0.36 N	0.26
N	1851	1044	411	2106	1019	166	663	293	905	289	189	204	107	108	473	597	187
TECH SCHOOL CLASS DATES	9003-9305	9306-9509	9312-9509	9003-9303	9404-9509	9006-9403	9009-9403	9503-9509	9006-9403	9404-9509	9006-9312	9103-9403	9009-9312	9006-9403	9006-9403	9009-9404	9405-9509
DESCRIPTION	TRANSPORT	AIR TRANSPORT EQPMT MAINT	MUNITIONS-CAS	MUNITIONS-PRODUCTION	MUNITIONS-PRODUCTION	A-10 ARMAMENT	F-15 ARMAMENT	F-15 ARMAMENT	F-16 ARMAMENT	F-16 ARMAMENT	F-111 ARMAMENT	B-52 ARMAMENT	B-1 ARMAMENT	HC-130 ARMAMENT	NUCLEAR WEAPONS	ELECT POWER PRODUCTION	ELECT POWER PRODUCTION
AFSCS	2T2X1 OR 605X5	2T2X1 OR 605X5	2W0X1A OR 465X0	2WOX1B OR 461X0	OR	2W1X1C 462X0C	2W1X1E OR 462X0E	2W1X1E OR 462X0E	2W1X1F OR 462X0F	2W1X1F OR 462X0F	2W1X1H OR 462XOH	2W1X1K OR 462XOK	2W1X1L OR 462XOL	2W1X1Z OR 462X0Z	2W2X1 OR 463X0	3E0X2 OR 542X2	3E0X2 OR 542X2
SAMPLE	88	83	91	93	94	96	66	100	103	104	107	109	113	116	118	120	121

Note: "YES" in the last co FSG = Final School Grade.

Initial Criterion Groups and Test Results Appendix A

N/A 62 N/A 63 significance level	i	336 0.20 134 0.09 p<.05 (two-tailed)	the	9003-9509 9312-9512 s differed at	EXPLOSIVE ORDINANCE DISPOSAL SP COMBAT ARMS MAINTENANCE column indicates the correlations	391X1 OR 464X0 391X1 OR 753X0 "YES" in the last o	139 140 Note:
61	N/A	0.30	156	9006-9406	LIQUID FUEL SYSTEMS	3E4X2 OR 566X2	137
09	NO	0.34	291	9006-9303	PLUMBING	552X5	136
59	N/A	0.28	410	9003-9403	ENVIRONMENTAL WATER	566X1	135
58	N/A	0.34	233	9003-9212	METALS FABRICATION	552X2	134
57	Q.	0.34	211	9405-9509		3E4X1	133
ţ	Ç.	6		7070	SMGHSVS SETHT.ITHI	3 E4 X 1	132
56		0.27	509	9006-9404	CARPENTRY	552X0	131
26 56	O N	0.30	63 218	9405-9404		3E3X1	130
U	Q	6	2	9006-9404	CIVII. ENGINEERING STRICTHERI	3E3X1	129
55		0.42	262	9006-9405	PAVEMENT MAINTENANCE	551X0	128
55		0.47	711	9006-9405	MASONRY	551X1	127
55	NO	0.43	291	9405-9509	PAVEMENTS & CONSTRUCTION	3E2X1	126
54		0.38	234	9006-9405	REFRIGERATION AND AIR COND	545X2	125
54		0.41	252	9406-9509	HEATING, VENT, AND AIR COND	3E1X1	123
54	NO	0.45	67	9006-9405	HEATING, VENT, AND AIR COND	3E1X1	122
ANALYSIS	DIFFERENCE		Z	CLASS DATES	DESCRIPTION	AFSCS	SAMPLE
FOR	SIGNIFICANT			TECH SCHOOL			
GROUP		MECH,					

<u>ات</u> Note: "YES" in the last co FSG = Final School Grade.

Number of Applicants and Maintenance Trainees at Each Score Level Appendix B

STANDARDIZED	RAW	FREQUENCY IN TRAINEE	FREQUENCY IN APPLICANT	Percentage Of	CUMULATIVE PERCENTAGE OF	AVERAGE NUMBER OF APPLICANTS
SCORE	SCORE	SAMPLE	SAMPLE	APPLICANTS	APPLICANTS	PER YEAR
10	150	0	256	0.2	1.9	85.33
10	151	0	286	0.2	2.2	95.33
11	152	ч	328	0.3	2.4	109.33
11	153	⊣	334	0.3	2.7	111.33
12	154	Н	406	0.3	3.1	135.33
12	155	2	374	0.3	3.4	124.67
13	156	Н	441	0.4	3.8	147.00
13	157	0	461	0.4	4.2	153.67
14	158	. 2	504	0.4	4.6	168.00
15	159	2	440	0.4	5.0	146.67
15	160	0	617	0.5	5.5	205.67
16	161	က	548	0.5	6.0	182.67
17	162	œ	715	9.0	9.9	238.33
18	163	73	569	0.5	7.1	189.67
18	164	Ŋ	836	0.7	7.8	278.67
19	165	ო	708	9.0	8.4	236.00
20	166	თ	857	0.7	9.1	285.67
21	167	4	680	9.0	7.6	226.67
21	168	10	937	0.8	10.5	312.33
22	169	0	160	9.0	11.1	253.33
23	170	10	1017	6.0	12.0	339.00
24	171	9	845	0.7	12.7	281.67
25	172	16	1189	1.0	13.8	396.33
26	173	7	906	0.8	14.5	302.00
TOTOL NEW TOTOL	mimbor of an	ann i dante ner	no beach of reen	1002-100E data	for 117 063 nergons	Buc

Number of Applicants and Maintenance Trainees at Each Score Level Appendix B

STANDARDIZED	RAW	FREQUENCY IN TRAINER	FREQUENCY IN APPLICANT	PERCENTAGE OF	CUMULATIVE PERCENTAGE OF	AVERAGE NUMBER OF APPLICANTS
SCORE	SCORE	SAMPLE	SAMPLE	APPLICANTS	APPLICANTS	PER YEAR
26	174	14	1233	1.1	15.6	411.00
27	175	4	096	0.8	16.4	320.00
28	176	30	1279	1.1	17.5	426.33
29	177	9	949	0.8	18.3	316.33
30	178	29	1373	1.2	19.5	457.67
31	179	18	1082	6.0	20.4	360.67
32	180	27	1325	1.1	21.5	441.67
33	181	13	1182	1.0	22.5	394.00
34	182	27	1310	1.1	23.7	436.67
35	183	13	1213	1.0	24.7	404.33
36	184	49	1363	1.2	25.9	454.33
37	185	24	1346	1.1	27.0	448.67
38	186	30	1314	1.1	28.1	438.00
39	187	26	1344	1.1	29.3	448.00
40	188	48	1347	1.2	30.4	449.00
40	189	29	1392	1.2	31.6	464.00
41	190	51	1319	1.1	32.8	439.67
42	191	27	1402	1.2	33.9	467.33
43	192	46	1224	1.0	35.0	408.00
44	193	170	1547	1.3	36.3	515.67
45	194	330	1262	1.1	37.4	420.67
46	195	270	1523	1.3	38.7	507.67
4.7	196	329	1290	1.1	39.8	430.00
Total Assessment	o you work with					

Appendix B Number of Applicants and Maintenance Trainees at Each Score Level

AVERAGE NUMBER OF APPLICANTS	PER YEAR	534.33	416.33	541.00	435.67	527.33	416.00	542.00	427.67	513.33	407.33	545.67	420.00	518.33	381.67	545.33	390.33	522.33	379.00	519.33	377.67	530.67	365.33	509.33
CUMULATIVE PERCENTAGE OF	APPLICANTS	41.2	42.2	43.6	44.7	46.1	47.2	48.5	49.6	51.0	52.0	53.4	54.5	55.8	56.8	58.2	59.2	60.5	61.5	62.8	63.8	65.1	66.1	67.4
PERCENTAGE OF	APPLICANTS	1.4	1.1	1.4	1.1	1.4	1.1	1.4	1.1	1.3	1.0	1.4	1.1	1.3	1.0	1.4	1.0	1.3	1.0	1.3	1.0	1.4	6.0	1.3
FREQUENCY IN APPLICANT	SAMPLE	1603	1249	1623	1307	1582	1248	1626	1283	1540	1222	1637	1260	1555	1145	1636	1171	1567	1137	1558	1133	1592	1096	1528
FREQUENCY IN TRAINEE	SAMPLE	241	396	309	846	605	854	999	797	756	870	755	807	820	810	899	851	861	821	940	824	922	777	944
RAW	SCORE	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219
STANDARDIZED	SCORE	48	49	50	51	52	53	54	55	26	57	58	59	09	09	61	62	63	64	65	99	67	89	68

Number of Applicants and Maintenance Trainees at Each Score Level Appendix B

STANDARDIZED	ED RAW	FREQUENCY IN TRAINEE	FREQUENCY IN APPLICANT	PERCENTAGE OF	CUMULATIVE PERCENTAGE OF	AVERAGE NUMBER OF APPLICANTS
SCORE	SCORE	SAMPLE	SAMPLE	APPLICANTS	APPLICANTS	PER YEAR
69	220	732	1003	6.0	68.2	334.33
70	221	1009	1538	1.3	9.69	512.67
71	222	726	1056	6.0	70.5	352.00
72	223	1024	1426	1.2	71.7	475.33
72	224	731	1101	6.0	72.6	367.00
73	225	1072	1376	1.2	73.8	458.67
74	226	655	1041	6.0	74.7	347.00
74	227	1037	1398	1.2	75.9	466.00
75	228	664	984	0.8	76.7	328.00
92	229	936	1346	1.1	77.9	448.67
77	230	628	1053	6.0	78.8	351.00
78	231	973	1237	1.1	79.8	412.33
78	232	614	921	0.8	80.6	307.00
79	233	985	1156	1.0	81.6	385,33
80	234	632	926	0.8	82.4	308.67
81	235	958	1092	0.9	83.3	364.00
81	236	267	885	0.8	84.1	295.00
82	237	1012	1029	0.9	85.0	343.00
83	238	559	875	0.7	85.7	291.67
83	239	096	1070	0.9	86.6	356.67
84	240	504	772	0.7	87.3	193.00
85	241	848	955	0.8	88.1	318.33
98	242	490	789	0.7	88.8	263.00
86	243	798	870	0.7	89.5	290.00
ote: Averag	ote: Average number of a	annlicants ner	wear is hased on	1992_1995 Asts	for 117 063 noncon	

Appendix B Number of Applicants and Maintenance Trainees at Each Score Level

244 41 731 0.6 90.1 245 710 796 0.7 90.8 246 344 675 0.7 90.8 247 711 779 0.6 92.1 248 377 643 0.6 92.1 249 648 643 0.6 92.1 250 365 644 0.6 93.7 251 599 648 0.5 94.8 253 513 569 0.5 94.3 254 321 569 0.5 95.7 255 281 546 0.5 95.7 254 321 405 0.5 96.1 259 288 321 0.4 97.4 260 260 406 0.3 98.0 261 240 265 0.3 98.5 262 187 271 0.2 99.4 263 126	STANDARDIZED	RAW	FREQUENCY IN TRAINER SAMPLE	FREQUENCY IN APPLICANT SAMPLE	PERCENTAGE OF OP	CUMULATIVE PERCENTAGE OF APPLICANTS	AVERAGE NUMBER OF APPLICANTS PER YEAR
245 710 796 0.7 90.8 265. 246 344 675 0.6 91.4 255. 248 344 675 0.6 91.4 255. 248 377 677 0.6 92.1 255. 249 648 643 0.5 93.7 214. 250 365 644 0.6 93.7 214. 251 365 644 0.6 93.7 214. 252 354 569 0.5 94.8 196. 252 354 569 0.5 94.8 196. 254 321 569 0.5 94.8 196. 255 245 480 0.5 95.7 189. 256 281 476 0.4 96.1 191. 257 248 321 0.3 97.4 158. 260 260 408 0.3 98.2 114. </td <td>87</td> <td>244</td> <td>41</td> <td>731</td> <td>· ·</td> <td>90.1</td> <td>243.67</td>	87	244	41	731	· ·	90.1	243.67
246 344 675 0.6 91.4 225 248 711 779 0.7 92.1 259. 248 648 643 0.6 93.2 225. 250 365 644 0.6 93.7 214. 250 365 644 0.6 93.7 214. 251 599 638 0.5 94.8 214. 252 354 590 0.5 94.8 196. 253 354 590 0.5 94.8 196. 254 321 546 0.5 94.8 196. 255 281 546 0.5 94.8 196. 256 281 405 0.4 96.1 191. 257 383 405 0.3 96.6 191. 260 260 408 0.3 98.0 136. 261 130 221 0.3 98.8 111. <td>88</td> <td>245</td> <td>710</td> <td>196</td> <td>•</td> <td>•</td> <td></td>	88	245	710	196	•	•	
247 711 779 0.7 92.1 259. 248 648 643 0.6 92.6 225. 249 648 644 0.6 93.7 214. 250 365 644 0.6 93.7 214. 251 599 638 0.5 94.3 212. 252 354 569 0.5 94.3 212. 253 313 569 0.5 94.8 196. 254 321 69 0.5 94.8 196. 255 281 573 0.5 95.3 189. 256 281 573 0.5 96.6 191. 257 383 405 0.3 97.0 135. 260 260 408 0.3 98.0 136. 261 136 261 0.2 98.2 111. 262 136 271 0.2 99.4 79. <td>88</td> <td>246</td> <td>344</td> <td>675</td> <td></td> <td>•</td> <td></td>	88	246	344	675		•	
248 377 677 0.6 92.6 25. 249 648 643 0.5 93.2 214. 250 648 0.5 93.7 214. 251 599 638 0.5 94.8 214. 252 354 590 0.5 94.8 196. 253 513 569 0.5 94.8 196. 254 321 546 0.5 95.3 189. 255 457 480 0.5 95.7 189. 256 281 573 0.5 95.7 180. 257 383 405 0.4 97.4 150. 259 248 321 0.3 97.7 107. 260 260 0.3 98.0 136. 261 130 281 136. 136. 262 136 271 0.2 98.8 90. 264 130	89	247	711	779	0.7	92.1	•
249 648 643 0.5 93.2 214. 250 365 644 0.6 93.7 214. 251 354 638 0.5 94.3 212. 252 354 569 0.5 94.8 196. 253 513 569 0.5 95.7 182. 254 321 546 0.5 95.7 189. 255 281 573 0.4 96.1 160. 256 281 573 0.5 96.1 160. 257 383 405 0.3 96.6 191. 259 245 476 0.3 97.4 158. 260 260 408 0.3 98.2 88. 261 187 271 0.2 98.8 90. 262 187 271 0.2 98.8 90. 264 130 291 0.2 99.6 47.7	89	248	377	677	٠	•	5
250 365 644 0.6 93.7 214. 251 599 638 0.5 94.3 212. 252 354 590 0.5 94.8 212. 253 351 569 0.5 94.8 196. 254 321 546 0.5 95.7 189. 255 457 480 0.4 96.1 160. 256 281 573 0.5 95.7 191. 257 383 405 0.3 97.0 191. 259 245 476 0.3 97.0 135. 260 246 476 0.3 97.0 135. 261 240 0.3 97.0 135. 262 184 0.3 98.0 136. 263 156 271 0.3 98.5 111. 264 130 291 99.0 99.0 99.0 265 <td>90</td> <td>249</td> <td>648</td> <td>643</td> <td>•</td> <td>•</td> <td>4.</td>	90	249	648	643	•	•	4.
251 599 638 0.5 94.3 212. 252 354 590 0.5 94.8 196. 253 513 569 0.5 94.8 196. 254 321 546 0.5 95.3 189. 255 281 573 0.5 96.1 160. 256 281 573 0.3 96.6 191. 258 245 476 0.4 97.4 150. 259 288 321 0.3 97.0 135. 260 408 0.3 97.0 136. 261 240 6.3 98.0 136. 262 187 335 0.3 98.2 88. 263 156 271 0.2 98.8 90. 264 136 271 0.2 99.4 79. 265 129 128 0.2 99.5 42. 267	91	250	9	644	•	•	•
252 354 590 0.5 94.8 196. 253 513 569 0.5 95.3 189. 254 321 546 0.5 95.7 189. 255 457 480 0.4 96.1 160. 256 281 573 0.5 96.6 191. 258 245 476 0.3 97.0 136. 259 288 321 0.3 97.4 158. 260 408 321 0.3 98.0 136. 261 240 265 0.2 98.2 88. 262 187 0.3 98.2 88. 263 156 271 0.2 98.5 111. 264 130 291 0.2 98.5 111. 265 136 271 0.2 98.5 111. 266 128 0.2 99.4 79. 267	91	251	599	638	•	94.3	•
253 513 569 0.5 95.3 189. 254 321 546 0.5 95.7 182. 255 457 480 0.4 96.1 160. 256 281 573 0.5 96.6 191. 257 383 405 0.3 97.0 135. 258 245 476 0.4 97.4 158. 260 260 408 0.3 98.0 135. 261 240 265 0.3 98.2 88. 262 187 35 0.2 98.5 111. 263 156 271 0.2 99.6 97. 264 130 271 0.2 99.4 79. 265 126 271 0.2 99.4 79. 266 127 238 0.2 99.4 79. 267 168 105 99.6 99.7 42.	92	252	2	590	•	•	•
254 321 546 0.5 95.7 182. 255 457 480 0.4 96.1 160. 256 281 573 0.5 96.6 191. 257 383 405 0.3 97.0 135. 258 245 476 0.4 97.4 158. 259 288 321 0.3 97.7 107. 260 260 408 0.3 98.0 136. 261 240 265 0.2 98.2 136. 262 136 271 0.2 98.5 111. 263 136 291 0.2 99.8 90.2 265 136 128 0.2 99.4 79. 266 127 238 0.2 99.4 79. 267 68 126 0.1 99.6 99.7 268 105 0.1 99.7 99.7	92	253	513	569	•	ъ.	٠
255 457 480 0.4 96.1 160. 256 281 573 0.5 96.6 191. 258 245 476 0.3 97.0 135. 259 288 321 0.3 97.7 107. 260 260 408 0.3 98.0 136. 261 240 265 0.2 98.2 88. 262 187 335 0.3 98.5 111. 263 156 271 0.2 98.6 90. 264 130 291 0.2 99.6 90. 265 136 183 0.2 99.6 90. 266 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 269 129 174 0.1 99.6 58. 269 129 106 0.1 99.7 39. <	93	254	321	546		95.7	•
256 281 573 0.5 96.6 191. 257 383 405 0.3 97.0 135. 258 245 476 0.4 97.4 158. 259 288 321 0.3 97.7 107. 260 260 408 0.3 98.0 136. 136. 261 240 265 0.2 98.2 88. 88. 262 187 335 0.3 98.5 111. 90. 263 156 271 0.2 98.8 90. 90. 264 130 291 0.2 98.6 99.0 99.0 265 136 183 0.2 99.4 79. 266 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 269 129 0.1 99.6 58. 269 129	93	255	2	480	•	•	•
257 383 405 0.3 97.0 135. 258 245 476 0.4 97.4 158. 259 288 321 0.3 97.7 107. 260 260 408 0.3 98.0 136. 261 240 265 0.2 98.2 88. 262 187 335 0.3 98.5 111. 263 156 271 0.2 98.8 90. 264 130 291 0.2 99.0 97. 265 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 269 129 0.1 99.6 59.7 42. 269 129 0.1 99.8 39.	94	256	281	573	•	9.96	•
258 245 476 0.4 97.4 158. 259 288 321 0.3 97.7 107. 260 260 408 0.3 98.0 136. 261 240 265 0.2 98.2 88. 262 187 335 0.3 98.5 111. 263 156 271 0.2 98.8 90. 264 130 291 0.2 99.0 97. 265 127 238 0.2 99.4 79. 267 68 126 0.1 99.6 42. 269 129 174 0.1 99.6 58. 270 62 118 0.1 99.7 35.	94	257	383	405	•	97.0	135.00
259 288 321 0.3 97.7 107. 260 260 408 0.3 98.0 136. 261 240 265 0.2 98.2 88. 262 187 335 0.3 98.5 111. 263 156 271 0.2 98.8 90. 264 130 291 0.2 99.0 97. 265 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 269 129 106 0.1 99.6 58. 270 62 118 0.1 99.7 39.	95	258	245	476	•	97.4	•
260 260 408 0.3 98.0 136. 261 240 265 0.2 98.2 88. 262 187 335 0.3 98.5 111. 263 156 271 0.2 98.8 90. 264 130 291 0.2 99.0 97. 265 136 183 0.2 99.4 79. 266 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 269 129 0.1 99.6 58. 270 62 118 0.1 99.8 39.	96	259	288	321	•	7.76	107.00
261 240 265 0.2 98.2 88. 262 187 335 0.3 98.5 111. 263 156 271 0.2 98.8 90. 264 130 291 0.2 99.0 97. 265 136 183 0.2 99.4 79. 266 127 238 0.1 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 270 62 118 0.1 99.8 39.	96	260	260	408	•	•	•
262 187 335 0.3 98.5 111. 263 156 271 0.2 98.8 90. 264 130 291 0.2 99.0 97. 265 136 183 0.2 99.4 79. 266 127 238 0.1 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 270 62 118 0.1 99.8 39.	96	261	240	265	•	•	88.33
263 156 271 0.2 98.8 90. 264 130 291 0.2 99.0 97. 265 136 183 0.2 99.2 61. 266 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 269 129 106 0.1 99.6 58. 270 62 118 0.1 99.8 39.	97	262	187	335	•	•	111.67
264 130 291 0.2 99.0 97. 265 136 183 0.2 99.2 61. 266 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 269 129 106 0.1 99.6 58. 270 62 118 0.1 99.8 39.	97	9	156	271	•	•	
265 136 183 0.2 99.2 61. 266 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 269 129 118 0.1 99.8 35.	98	264	130	291	•	ω.	•
266 127 238 0.2 99.4 79. 267 68 126 0.1 99.5 42. 268 105 174 0.1 99.6 58. 269 129 106 0.1 99.7 35. 270 62 118 0.1 99.8 39.	98	265	136	183	•	•	•
9 267 68 126 0.1 99.5 42. 9 268 105 174 0.1 99.6 58. 9 269 129 106 0.1 99.7 35. 9 270 62 118 0.1 99.8 39.	86	266	127	238	0.2	ο.	9.3
9 268 105 174 0.1 99.6 58. 9 269 129 106 0.1 99.7 35. 9 270 62 118 0.1 99.8 39.	66	267	89	126	0.1	9	•
9 269 129 106 0.1 99.7 35.3 9 270 62 118 0.1 99.8 39.3	66	9	105	174	0.1		ω.
9 270 62 118 0.1 99.8 39.3	66	9	2	106	0.1	99.7	5.3
	66	7	62	118	0.1	8.66	9.3

Appendix C Logistic Regression Results

Logistic regression analyses tested the usefulness of MECH scores for predicting success or failure in training. For those AFSs for which minimum scores for MECH and another ASVAB composite score are required, additional analyses using both scores as independent variables were conducted.

Significant chi-square statistics for the overall model and the beta weight for MECH, and non-significant goodness of fit statistics provide evidence that MECH scores explain variance in the pass/fail criterion. It is also necessary to examine the effectiveness of the model in supporting the decision-maker's objective. The objective here is to identify trainees who are likely to fail. Since, none of the models shown on the next few pages predicted any failures, the results provide little support for the use of MECH scores to screen applicants for these occupations.

LOGISTIC REGRESSION RESULTS FOR MECH SCORE AS A PREDICTOR OF TRAINING SUCCESS/FAILURE Appendix C

PCT CASES	CORRECTLY	95.70	98.30	96.20	98.40	98.10	00.96	98.40	99.20	09.66	98.00	97.40			.40	99.40	97.30	94.10		99.30	99.30	.40	
PCT CASES CLASSIFIEI	CORRI	95	98	96	98	98	96	98	66	66	98	97			97	66	97	94		66	66	66	
ACTUAL NUMBER	PASSED	1487	395	1890	432	251	261	200	250	232	66	151	175	142	1207	169	644	2721	315	1026	864	534	ighted.
ACTUAL NUMBER	FAILED	67	7	75	7	Ŋ	11	80	7	Н	~	. 4	0	0	32	2	18	172	0	7	9	3	are highlighted
	ĸ	41.	00.	.16	00.	.12	.16	00.	00.	00.	00.	00.			.25	00.	.25	.19		00.	.08	80.	
	BETA	.04**	.03	.04**	.01	80.	90.	.02	.10	90.	.03	.02			**90°	.01	**40.	.04**		.04	.07	.10	e fit statistics
GOODNESS	OF FIT	1527.22	396.43	1968.82**	439.34	261.32	248.03	510.43	173.01	190.29	99.16	158.32	•		1093.12	773.17	573.28	2813.76**		1162.05**	733.01	586.65	ession models with acceptable
MODEL	CHI-SQ	12.90**	09.0	18.66**	0.08	3.40	5.39	0.37	2.17	0.41	0.32	0.40			23.30**	0.23	12.87**	53.66**		1.87	3.08	3.08	on models w
POT	LIKELIHOOD	539.45	69.99	618.30	71.75	45.86	86.74	81.92	21.16	12.49	19.33	36.92			273.87	60.16	152.42	1250.86		81.99	68.60	34.03	Logistic regressi
	×	1554	402	1965	439	256	272	508	252	233	101	155	175	142	1239	774	662	2893	315	1033	870	537	Logis
TECH SCHOOL	CLASS DATES	9006-9409	9412-9509	9003-9209	9006-9209	9012-9509	9306-9509	9309-9509	9309-9509	9312-9509	9312-9409	9406-9509	9409-9509	9309-9509	£0£6-9006	9309-9509	9003-8006	9003-9509	9006-9209	9006-9209	9006-9209	9306-9509	*p<.05, **p<.01.
	AFS	2A3X3A	2A3X3A	2A3X3B	2A3X3C	2A3X3E	2 A 5X1A	2A5X1B	2A5X1C	2A5X1D	2A5X1F	2A5X1F	2A5X1H	2 A 5X2	2A6X1A	2A6X1A	2A6X1B	2 A 6X2	2A6X3	2A6X4	2A6X5	2A6X5	NOTES:

LOGISTIC REGRESSION RESULTS FOR MECH SCORE AS A PREDICTOR OF TRAINING SUCCESS/FAILURE Appendix C

							AC	ACTUAL	ACTUAL	PCT CASES
	TECH SCHOOL		Loa	MODEL	GOODNESS		Ē	NUMBER	NUMBER	CLASSIFIED
AFS	CLASS DATES	N	LIKELIHOOD	CHI-SQ	LIA 40	BETA R		FAILED	PASSED	CORRECTLY
2A6X6	9403-9509	745	181.60	9.69**	811.99**	.05**	19	21	754	97.20
2A7X1	9006-9209	314	65.54	1.55	316.86	.03	.00	7	307	97.80
2A7X3	9003-9209	1682	178.41	2.40	1689.54	.03	. 04	16	1666	99.10
2A7X4	9006-9209	383	35.03	0.04	383.51		.00	ю	380	99.20
2E6X1	9012-9509	210	73.55	0.76	208.20	.02	.00	o.	201	95.70
2E6X2	9006-9209	631	204.71	5.71**	617.16			25	909	00.36
2F0X1	9003-9409	2166	178.24	0.84	2140.13**			15	2151	99.30
2F0X1	9409-9509	468	45.03	1.03	424.94	. 05		4	464	99.20
2M0X1	9006-9303	466	25.83	0.47	415.17		.00	7	464	09.66
2T2X1	9003-9509	2955	482.50	0.02	2954.92**		.00	47	2908	98.40
2T3X1	9006-9209	805	342.77	26.50**	812.92	*	.24	49	756	93.90
2T3X2A	9006-9306	121	51.93	1.56	115.19			7	114	94.10
2T3X2B	9006-9006	157	55.38	1.85	145.39	.04	.00	7	150	95.50
2T4X1	9006-9209	841	148.44	2.09	833.47	.03	. 00	15	826	98.20
2W0X1A	9312-9509	415	45.10	0.00	414.77	00.	00.	4	411	00.66
2W0X1B	9003-9509	3149	272.00	0.12	3144.46**	•	00	23	3126	99.30
ZWIXIC	9006-9403	171	38.99	6.18*	119.79	*.07*	27	Ŋ	166	97.10
2W1X1E	9009-9509	974	162.22	0.99	977.83	.02	. 00	16	958	98.40
ZWIXIF	9006-9209	1217	221.61	6.51*	1206.12	C. **EO.	15	23	1194	98.10
2W1X1H	9006-9312	198	68.64	4.58*	181.02		19	ø	189	95.50
NOTES:	*p<.05, **p<.01. Logistic regression	Logisti	c regression	models with	acceptable	fit statistics	376	hiahliahted	t ed	

LOGISTIC REGRESSION RESULTS FOR MECH SCORE AS A PREDICTOR OF TRAINING SUCCESS/FAILURE Appendix C

								ACTUAL	ACTUAL	PCT CASES
	TECH SCHOOL		POT	MODEL	GOODNESS			NUMBER	NUMBER	CLASSIFIED
AFS	CLASS DATES	×	LIKELIHOOD	CHI-SQ	OF FIT	BETA	ĸ	FAILED	PASSED	CORRECTLY
2W1X1L	9009-9312	107	17.25	2.7	56.93	.07	.11	2	105	98.20
2W1X1Z	9006-9403	110	19.67	0.33	101.37	.03	00.	73	108	98.20
2W2X1	9006-9403	475	25.86	0.01	473.68	.01	00.	7	473	09.66
2WIX1K	9103-9403	211	61.17	0.28	209.79	.01	00.	7	204	96.70
3E0X2	6036-6006	802	160.12	12.16**	742,47	**60.	.22	18	784	97.80
3E1X1	6056-9006	591	208.41	17.02**	558.70	***0.	.25	28	563	95,30
3E2X1	9036-2006	1338	141.94	4.42*	1316.98	.04*	.12	13	1325	00.66
3E3X1	9006-9206	805	144.91	4.29*	788.31	*50.	TT.	15	790	98,10
3E4X1	9312-9509	265	41.49	00.0	264.99	00.	00.	4	261	98.50
3E8X1	9003-9209	492	612.78	1.87	491.77	.01	00.	156	336	68.30
3F4X2	9006-9406	161	44.50	90.0	160.97	.01	00.	Ŋ	156	96.90
3P1X1	9312-9509	136	20.79	90.0	134.39	01	00.	7	134	98.50
452X5	9009-9406	402	180.89	6.40*	404.12	.04*	.15	25	377	93.80
454X5	9006-9306	577	264.93	9,92**	558.96	.04**	.16	37	540	93.60
454X6	9006-6006	420	167.12	11.21**	401.65	**50.	.22	23	397	94,50
552X0	9003-9212	235	22.94	0.11	240.22	. 02	00.	7	233	99.20
552X5	9006-9303	297	50.63	0.13	296.99	.01	00.	τύ	292	98.30
566X1	9003-9403	434	173.16	0.92	434.96	.02	00.	22	412	94.90
NOTES:	*p<.05, **p<.01. Logistic regress	Logist	ic regression	ion models with	acceptable	fit statistics	ics are	are highlighted	jhted.	

Logistic Regression Results for AFSs Using Two Scores Appendix C.

MECHANICAL AND/OR ELECTRICAL ASVAB SCORES

										ACTUAL A	ACTUAL	PCT CASES
		Log		MODEL	GOODNESS	MECH	MECH	BLRC	ELEC	NUMBER N	NUMBER	CLASSIFIED
A E S	DESCRIPTION	N LIKELIE	THOOD C	CKI-SQ	AII AO	BETA	ø	BETA	W.	PATEED P	PASSED (CORRECTLY
2A6X2	AGE MAINTENANCE	2893 118	183.56 1	120.97 **	2691.48 **	0.16 *	0.05	0.06 **	0.22	172	2731	94.1
2A6X6	ELECT & ENVIR SYS	745 17	179.16	12.14 **	825.45 *	0.03	90.0	0.04	0.05	21	724	97.2
2M0X1	MISSILE MAINTENANCE	466	25.16	0.64	397.70	0.03	00.00	0.02	00.0	77	464	99.3
2W1X1C	A-10 ARMAMENT	171	38.84	6.33 *	119.32	90.0	0.17	0.02	00.0	5	166	97.1
2W1X1E	F-15 ARMAMENT	974 15	151.69	11.53 **	1061.40 *	-0.01	00.0	0.07 **	0.22	16	958	98.4
2W1X1F	2W1X1F F-16 ARMAMENT	1217 21	211.30	16.82 **	1592.23 **	0.01	00.0	0.06 **	0.19	23	1194	98.1
2М1Х1Н	2W1X1H F-111 ARMAMENT	198	69.59	12.63 **	160.14	0.01	0.00	** 60.0	0.26	ō.	189	96.7
2W1X1L	2W1X1L B-1 ARMAMENT	109	17.23	2.72	56.33 **	90.0	00.0	0.01	0.00	7	107	98.2
2W1X1Z	HC-130 ARMAMENT	110	17.12	2.87	99.09	00.00	00.0	0.10	00.00	8	108	98.2
2W2X1	NUCLEAR WEAPONS	475	24.87	1.00	369.92	-0.03	00.0	0.05	00.00	73	473	9.66
3E0X2	RLEC POWER PRODUCTION	802 14	146.97	25.31 **	702.67	0.05	0.09	** 80.0	0.23	18	784	97.8
3£1X1	HEATING, VENT, & A/C	591 20	204.31	21.12 **	542,36	0.03 *	0.14	0.04 *	60.0	28	563	57.36

MECHANICAL AND/OR GENERAL ASVAB SCORES

MECHANICAL AND/OR ADMINISTRATIVE ASVAB SCORES

MECH HECH ADMIN ADMIN NUMBER NUMBER CLASSIFIED BHIA R HETA R FAILED PASSED CORRECTLY		
	0000	ı
	200	ı
	472.36 10.15 ** 2900.53 0.00 0.00 0.03 ** 0.12 47 2908 98.4	ı
∞ ₽		ı
₩•₩¢₩	4	l
₩2₩2₩		1
H U	36	ı
W W	1	L
10 8	1000	1
		ı
⋘⋾⋘⋜⊗	12.53	ı
		17
8 0	3.6	Là
** **	6	17
4 9	CV:	17
		13
∞ ≠∞∞		L
	100	Ľ
	~	17
8 0	₹"	13
W 14		ľ
	10.00	17
5	100	۱,
2 5	3.00	١.
		13
22	C	13
	Н.	10
	<u>ا</u>	1
	_	[
		10
	*	
	*	↓
	m	10
	0	ŀr
	-	lт
T # 1	0	١ċ
	10%	نا
	20.00	Ť
7 .	2	1
. U	٠,	L
	0	١.,
	3.3	اسا
	1 - 33	1
	1.39	l
		1,
	ız	ľ
	T.	17
M M	0	li
26 90 1	. 100	lò
	-0.8	l a
		Ιð
	1.00	Ιð
	m	là
173	in :	Ι,
W #	1.0	ی ا
	ြင္က	Π
GOODNESS NECH OF FIT BETA	ا کا ا	١.,
0 4	7	
္ ဝ	3	١.
		t
		Ľ
	*	ľ
	7	ř
	3	là
# W	Γ.	Ì
LOG MODEL BLINOOD CHI-SQ	0	•
5 I	1	c
A	- 40	17
		١-٢
	9	ď
- A	m	t
9		٥
¥I	7.5	ķ
	4	۱'n
~~~	3.0	
		à
		regression models with agreentable fit atationing by the
1	. 3	7
LIKE	100 A	707
LOG MODEL LIKELIHOOD CHI-SQ		יסיר יים'
LIKB	5	10 70
LIKE	55	atio vo
n like	355	ictio vo
n like	2955	rictic vo
N LIKE	2955	Orietia ve
N LIKE	2955	Torrietic ve
N LIKB	2955	Logistic ve
N LIKB	7 2955	Locrietic ve
N LIKE	NT 2955	1 Located very
N LIKE	INT 2955	Ol Lociation
. O LIKE	AINT 2955	Of Locristic ver
N LIKE	MAINT 2955	yer nitetin Tony
N LIKE	T MAINT 2955	ny Ol Logistic ve
N LIKE	MT MAINT 2955	xav 01 Toriation vax
BATT N	MT MAINT 2955	**** O1 Torigital vox
exert in like	MT MAINT 2955	**** Ol Todiation vox
ON LIKE	MT MAINT 2955	2 **** 01 T.O.T. 10 YE
TON NOT	MT MAINT 2955	TOCHET TOCHET
TION NILLE	ANS EQPMT MAINT 2955	TOCHET TOCHET
EXIT N PRINCE	MT MAINT 2955	TOCHET TOCHET
RIPTION NO LIKE	RANS EQPMT MAINT 2955	TOCHET TOCHET
CRITATION NOTITEE	RANS EQPMT MAINT 2955	TOCHET TOCHET
ISCAIPTION ISCAIR	MT MAINT 2955	TOCHET TOCHET
DESCRIPTION N LIKE	IR TRANS EQPMT MAINT 2955	TOCHET TOCHET
DESCRIPTION 6 LIKE	IR TRANS EQPMT MAINT 2955	**************************************
DESCRIPTION NO LIKE	RANS EQPMT MAINT 2955	TOCHET TOCHET
DESCRIPTION N LIKE	IR TRANS EQPMT MAINT 2955	TOCHET TOCHET
DBSCRIPTION BILLER	IR TRANS EQPMT MAINT 2955	TOCHET TOCHET
'S DESCRIPTION I LIKE	IR TRANS EQPMT MAINT 2955	TOCHET TOCHET
nps description b like	IR TRANS EQPMT MAINT 2955	TOCHET TOCHET

J

### References

- American Psychological Association. (1985). <u>Standards for educational and psychological testing</u>. Washington DC: American Psychological Association.
- Barrick, M. & Mount, M. (1991). The big-five personality dimensions in job performance: A meta-analysis. <u>Personnel Psychology</u>, 44, 1-26.
- Borack, J. (1995). Alternative techniques for predicting success in air controller school. <u>Military Psychology</u>, 7, 207-219.
- Brogden, H. (1946). On the interpretation of the correlation coefficient as a measure of predictive efficiency. The Journal of Educational Psychology, 37, 65-76.
- Cascio, W. (1987). <u>Applied psychology in personnel management (3rd Ed.)</u>, Englewood Cliffs, NJ: Prentice-Hall, Inc.
- Chapman, S. (1996). Uncertainty on the personnel front. Air Force Magazine. pp.40-43.
- Cohen, J. (1988). <u>Statistical Power Analysis for the Behavioral Sciences</u>. Hillsdale, NJ: Lawrence Erlbaum, Inc.
- Fox, J. (1984). <u>Linear Statistical Models and Related Methods with Practical Applications to Social Research</u>. New York: John Wiley & Sons.
- Hosmer, D. & Lemeshow, S. (1989). Applied Logistic Regression. New York: John Wiley & Sons.
- Motowidlo, S. & Van Scotter, J. (1994). Evidence that task performance should be distinguished from contextual performance. <u>Journal of Applied Psychology</u>. <u>79</u>, 475-480.
- Pearlman, K., Schmidt, F., & Hunter, J. (1980). Validity generalization results for tests used to predict job proficiency and training success in clerical occupations. <u>Journal of Applied Psychology</u>, 65, 373-406.
- Ree, M. & Earles, J. (1992). <u>Subtest and composite validity of ASVAB Forms 11, 12, and 13 for technical training courses</u>, (AL-TR-1991-0107). Brooks AFB, TX: Human Resource Management Division, Air Force Human Resources Laboratory.
- Tett, R., Jackson, D. & Rothstein, M. (1991). Personality measures as predictors of job performance: A meta-analytic review. <u>Personnel Psychology</u>, <u>44</u>, 703-744.
- Van Scotter, J., & Motowidlo, S. (1996). Evidence for two factors of contextual performance: Job dedication and interpersonal facilitation. <u>Journal of Applied Psychology</u>, <u>81</u>, 525-531.

Wilbourn, J., Valentine, L., & Ree, M. (1984). Relationships of the armed services vocational aptitude battery (ASVAB) forms 8, 9, and 10 to air force technical school final grades. (AFHRL-TP-84-8). Manpower and Personnel Division, Air Force Human Resources Laboratory.

### REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

			1 01115 110: 01 1 0100
maintaining the data needed, and completing and revi	iewing the collection of information. Send committee control of the control of th	nents regarding this burden e on Operations and Reports, 1	ing instructions, searching existing data sources, gathering and estimate or any other aspect of the collection of information, including 1215 Jefferson Davis Highway, Suite 1204, Artington, VA 22202-4302,
1. AGENCY USE ONLY (Leave	2. REPORT DATE		AND DATES COVERED
blank)	January 1997	Final	
	January 1997	1 mai	
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS
THE EFFECTS OF LOWER ARM	ED SERVICES VOCATIONAL	L APTITUDE	
BATTERY (ASVAB) MECHANIC	CAL SCORE REQUIREMENTS	S ON THE	
NUMBER OF APPLICANTS ELIC	•		
OCCUPATIONS AND THE PERC			
OCCUPATIONS AND THE FERC	ENTAGE OF TRAINING PAI	LUKES	
6. AUTHOR(S)			1
	LICAE		
James R. Van Scotter, Lt Co.	I, USAF		
			A DEDECTION OF ANITATION
7. PERFORMING ORGANIZATION NA	MES(S) AND ADDRESS(S)	•	8. PERFORMING ORGANIZATION REPORT NUMBER
A: Francisco - CTland	.1		REPORT NUMBER
Air Force Institute of Techno	<b></b>		AFIT-LA-TR-97-1
Graduate School of Acquisit	ion and Logistics Manager	nent	AFII-LA-IK-9/-1
Wright-Patterson AFB, OH	45433-7765		
Winging accessor in B, Off	15 155 7705		
9. SPONSORING / MONITORING AGE	NCY NAME(S) AND ADDRESS(ES	3)	10. SPONSORING / MONITORING
		-,	AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION / AVAILABILITY S	STATEMENT		12b. DISTRIBUTION CODE
Approved for public release	e: distribution unlimited.		
Tr	· · · · · · · · · · · · · · · · · · ·		
42 ADSTRACT (Maximum 200 Wands			L
13. ABSTRACT (Maximum 200 Words)	,		
F791 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		. 10	* **

This study investigated the impact of lowering the minimum Armed Services Vocational Aptitude Battery (ASVAB) Mechanical composite (MECH) scores required for recruits to enter maintenance career fields. The sample included (N=48,009) Air Force technical school trainees who attended school between 1990 and 1995. A contingency table showing the relationship between predictor scores and success/failure in technical school and logistic regression analyses suggested that required scores should be raised for five Air Force Specialties (AFSs) and should remain at the present level for four others. No linear relationship was apparent between test scores and technical school grades or pass/fail criteria for two AFSs. Results provided little evidence that reducing minimum MECH score requirements slightly will increase the rate of technical school failures. The need to collect technical school grades for unsuccessful trainees was identified.

14. SUBJECT TERMS Selection	15. NUMBER OF PAGES 38 16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	l UL i